

# Mundane Cave Animal Encounters

Author

Christopher Baldi

**Artists** 

Free Public Domain Sources We thank the artists for posting their art for use. **Editor** 

Carol Baldi

## **Copyright Information**

Two Bit Tables: Mundane Cave Animal Encounter Copyright © 2017 Healing Fireball Publications All Rights Reserved. The Healing Fireball logo is Copyright © 2007. Two Bit Tables Logo is Copyright © 2008.



## Mundane Cave Animal Encounters

Caves are cold, dark, wet places filled with strange landscapes and unique life forms. Adventurers often find that they must plumb these forbidden depths looking for the treasures that they hold. Unfortunately, caves often feel empty save the collection of monsters and traps that are there to test the party. Well, never fear -- your friends here at Healing Fireball Publications have created a collection of tables designed to add the life back to theses dark regions and allow players to come face-to-face with some of the strangest fauna in the world.

#### **Table I: Entrance Zone**

| Table I: Entrance Zone |                      |             |                           |  |
|------------------------|----------------------|-------------|---------------------------|--|
| <b>D100</b>            | Animal               | <b>D100</b> | Animal                    |  |
| 1-2                    | Triodopsis sp. Snail | 51-52       | Grizzly Bear              |  |
| 3-4                    | Aerodramus Bird      | 53-54       | Groundhog                 |  |
| 5-6                    | American Toad        | 55-56       | Herald Moth               |  |
| 7-8                    | Barn Swallow         | 57-58       | Mosquito Swarm            |  |
| 9-10                   | Beaver               | 59-60       | Mountain Lion             |  |
| 11-12                  | Black Bear           | 61-62       | Northern spring peeper    |  |
| 13-14                  | Black Rat Snake      | 63-64       | Oilbird                   |  |
| 15-16                  | Brown Bear           | 65-66       | Orb-Weaving Spider        |  |
| 17-18                  | Brown Rat            | 67-68       | Oxidus gracilis Millipede |  |
| 19-20                  | Camel Cricket        | 69-70       | Pack Rat                  |  |
| 21-22                  | Cave Goat            | 71-72       | Pickerel Frog             |  |
| 23-24                  | Cave Mold Beetle     | 73-74       | Pillbug                   |  |
| 25-26                  | Cave Salamander      | 75-76       | Ptomaphagus Beetle        |  |
| 27-28                  | Cave Swallow         | 77-78       | Raccoon                   |  |
| 29-30                  | Cave Swiftlets       | 79-80       | Red Fox                   |  |
| 31-32                  | Copperhead Snake     | 81-82       | Red Wolf                  |  |
| 33-34                  | Dwarf American Toad  | 83-84       | Ring-Tailed Cat           |  |
| 35-36                  | Edible-nest Swiftlet | 85-86       | Rove Beetle               |  |
| 37-38                  | Eastern Mole         | 87-88       | Scaffold Web Spider       |  |
| 39-40                  | Eastern Phoebe       | 89-90       | Scorpion                  |  |
| 41-42                  | Fly Swarm            | 91-92       | Screech Owl               |  |
| 43-44                  | Gnat Swarm           | 93-94       | Spirobolid Millipede      |  |
| 45-46                  | Gray Fox             | 95-96       | Vulture                   |  |
| 47-48                  | Gray Wolf            | 97-98       | Western Slimy Salamander  |  |
| 49-50                  | Green Frog           | 99-100      | White-Footed Mouse        |  |

#### **Cave Zones**

Every cave consists of three different zones related to how light filters into a cave.

The Entrance **Zone:** The entrance zone of a cave is located where it opens up to the outside. This zone gets the most light and animals in this zone most likely use the cave as a place to nest or sleep but venture forth to find food in the outside world.

#### Twilight Zone: The twilight zone is the area after the entrance zone

where it is not completely dark as some light from the entrance filters through. This zone is likely home to animals that are adapted to living in caves but still can live outside. These animals likely still have eyes and pigment.





#### **Cave Zones (Continued)**

**Dark Zone:** The dark zone is the deepest part of the cave where no light can reach. Animals that dwell in this region are usually completely adapted to life in a cave. They usually have lost their eyes and pigment and cannot live outside the cave.

Table II: Twilight Zone

| D100  | Animal                           | D100   | Animal                 |
|-------|----------------------------------|--------|------------------------|
|       |                                  |        |                        |
| 1-2   | Albino Cave Cockroach            | 51-52  | Fly swarm              |
| 3-4   | Auckland Island weta             | 53-54  | Free-Tailed Bats       |
| 5-6   | Beauty rat snake                 | 55-56  | Ghost Bat              |
| 7-8   | Berry Cave Salamander            | 57-58  | Giant Cave Cockroach   |
| 9-10  | Blind Cave Beetle                | 59-60  | Earthworm              |
| 11-12 | Blind Cave Millipede             | 61-62  | Ground Beetle          |
| 13-14 | Youngsteadt's cave millipede     | 63-64  | Herald Moth            |
| 15-16 | Brown Cave Salamander            | 65-66  | Kramer's cave beetle   |
| 17-18 | Tennessee cave salamander        | 67-68  | Long-tailed salamander |
| 19-20 | Springtails (Jumping Insects)    | 69-70  | Mite Swarms            |
| 21-22 | Causey's cave millipede          | 71-72  | Myotis Bat             |
| 23-24 | Cave Centipede                   | 73-74  | Ohio cave beetle       |
| 25-26 | Cave Flea Swarm                  | 75-76  | Pipistrelle Bat        |
| 27-28 | Cave mold beetle                 | 77-78  | Rat                    |
| 29-30 | Cave Pseudoscorpion Swarm        | 79-80  | Silverfish Swarm       |
| 31-32 | Cave Racer Snake                 | 81-82  | Spring Salamander      |
| 33-34 | Cave Scorpion                    | 83-84  | Carrion Beetles        |
| 35-36 | Cave WebWorm (Fungus Gnat Larva) | 85-86  | Stoneflies             |
| 37-38 | Cave Weta                        | 87-88  | Camel Cricket          |
| 39-40 | Cliff Chirping Frog              | 89-90  | The Giant Weta         |
| 41-42 | Dark-Sided Salamander            | 91-92  | Tissue Moth            |
| 43-44 | Monte Albo Cave Salamander       | 93-94  | Trap Door Spider       |
| 45-46 | Eastern Pipistrelle Bat          | 95-96  | Vampire Bat            |
| 47-48 | Eurycea Salamander               | 97-98  | Whip scorpions         |
| 49-50 | Fishing Spider                   | 99-100 | Brown Bat              |

## **Using These Tables**

To use these tables first chose the table for the zone that is being explored and then roll a d100 for the entrance zone or twilight zone. Alternately, if generating encounters for the dark zone, roll a d20 and consult the land or water tables based on the caves environment. You can either roll on these tables intermittently or once for every half hour of exploration in the cave.

Additionally, while the bats and most of the salamanders are listed as being in the twilight zone these animals are actually more prolific and can live in all three zones depending on the season and available food source. Because of this, but and salamander tables have been provided. These tables can be used in any of the three zones just roll a d20 and consult the appropriate table.

Two Bit Tables: Mundane Cave Animal Encounter Copyright © 2017 Healing Fireball Publications All Rights Reserved. The Healing Fireball logo is Copyright © 2007. Two Bit Tables Logo is Copyright © 2008.



# Dark Zone Animals Table III: Land

| ıab        | ie iii: Land                   |
|------------|--------------------------------|
| <b>D20</b> | Land Animals                   |
| 1          | Blind cricket                  |
| 2          | Blind wolf spider              |
| 3          | Campodeid Dipluran             |
| 4          | Cave Centipede                 |
| 5          | Cave Crab                      |
| 6          | Cave physa Snail               |
| 7          | Cave Pseudoscorpion Swarm      |
| 8          | Cellar Spider                  |
| 9          | Conotylid Cave Millipede       |
| 10         | Daddy longlegs                 |
| 11         | Eyeless Albino millipede       |
| 12         | Grotto Salamander              |
| 13         | Inflectarius inflectus Snail   |
| 14         | Leptodirus hochenwartii beetle |
| 15         | Nelson cave spider             |
| 16         | Niah cave gecko                |
| 17         | Cave Scorpion                  |
| 18         | Springtails (Jumping Insects)  |
| 19         | Texas blind salamander         |
| 20         | White cave velvet worm         |

### **Table IV: Water**

| Table IV. Waler |                          |  |
|-----------------|--------------------------|--|
| <b>D20</b>      | Water Animals            |  |
| 1               | Alabama cave shrimp      |  |
| 2               | Bigcheek cave crayfish   |  |
| 3               | Blind cave loach         |  |
| 4               | Blind planarian          |  |
| 5               | Brook lamprey            |  |
| 6               | Cave catfish             |  |
| 7               | Cave Tetra               |  |
| 8               | Gordian worm             |  |
| 9               | Grotto sculpin           |  |
| 10              | Kentucky cave shrimp     |  |
| 11              | Mimic cavesnail          |  |
| 12              | Olm                      |  |
| 13              | Ozark Cavefish           |  |
| 14              | Phantom cave crayfish    |  |
| 15              | Phantom cavesnail        |  |
| 16              | Pink planarian           |  |
| 17              | Subterranean sponge      |  |
| 18              | Toothless blindcat       |  |
| 19              | Tumbling Creek cavesnail |  |
| 20              | Typhlocaris Shrimp       |  |

## Table V: Bats \_\_\_\_

| Iab        | ie v. Dais              |
|------------|-------------------------|
| <b>D20</b> | Bat                     |
| 1          | Big Brown Bat           |
| 2          | Big-eared Bat           |
| 3          | Big-eared Woolly Bat    |
| 4          | Eastern Pipistrelle Bat |
| 5          | Free-Tailed Bats        |
| 6          | Fringed Myotis          |
| 7          | Fruit Bat               |
| 8          | Ghost Bat               |
| 9          | Gray Bat                |
| 10         | Little Brown Bat        |
| 11         | Long-nosed bat          |
| 12         | Long-tongued bat        |
| 13         | Myotis bat              |
| 14         | Pallid Bat              |
| 15         | Pipistrelle bat         |
| 16         | Pygmy Pipistrelle       |
| 17         | Silver-haired bat       |
| 18         | Small-footed Myotis     |
| 19         | Vampire Bat             |
| 20         | Whiskered Bat           |

## Table VI: Salamanders

| <b>D20</b> | Salamander                     |
|------------|--------------------------------|
| 1          | _Berry Cave Salamander         |
| 2          | _Big Mouth Cave salamander     |
| 3          | Blanco Blind Salamander        |
| 4          | Brown Cave Salamander          |
| <u>5</u>   | _Cascade Caverns Salamander    |
| 6          | Comal Blind Salamander         |
| 7          | _Dark-Sided Salamander         |
| 8          | _Eurycea Salamander            |
| 9          | _Grotto Salamander             |
| 10         | _Imperial Cave Salamander      |
| <u>11</u>  | _Jollyville Plateau Salamander |
| 12         | Long-tailed salamander         |
| <u>13</u>  | Many-ribbed Salamander         |
| <u>14</u>  | _Monte Albo Cave Salamander    |
| <u>15</u>  | _Sinkhole Salamander           |
| <u>16</u>  | _Spotted-tail Salamander       |
| <u>17</u>  | _Spring Salamander             |
| <u>18</u>  | _Supramonte Cave Salamander    |
| <u>19</u>  | _Tennessee cave salamander     |
| <u>20</u>  | Texas blind salamander         |

Two Bit Tables: Mundane Cave Animal Encounter Copyright © 2017 Healing Fireball Publications All Rights Reserved. The Healing Fireball logo is Copyright © 2007. Two Bit Tables Logo is Copyright © 2008.



### **Using These Tables (continued)**

The Fantasy animals and cave dwellers table can also be used for encounters in all three zones just roll a d20 and consult the appropriate table. The insects/spiders table can be used to create encounters in either the twilight or dark zone. Finally, a set of specific themed tables have been provided for certain encounters in the entrance zone. To use these tables just roll a d20 and consult the specific encounter table

## **Entrance Zone Animals by Type:**

Table VII: Dangerous

| Table VII. Daligerous |                          |  |  |
|-----------------------|--------------------------|--|--|
| <b>D20</b>            | <b>Dangerous Animals</b> |  |  |
| 1-2                   | Scorpion                 |  |  |
| 3-4                   | Black Bear               |  |  |
| 5-6                   | Black Rat Snake          |  |  |
| 7-8                   | Brown Bear               |  |  |
| 9-10                  | Copperhead Snake         |  |  |
| 11-12                 | Gray Fox                 |  |  |
| 13-14                 | Gray Wolf                |  |  |
| 15-16                 | Grizzly Bear             |  |  |
| 17-18                 | Red Fox                  |  |  |
| 19-20                 | Red Wolf                 |  |  |

| _   |     |       |      |    |
|-----|-----|-------|------|----|
| Ta  | ble | VIII: | Flvi | na |
| . ~ | ~.~ |       |      |    |

| <b>D20</b> | Flying Animals       |
|------------|----------------------|
| 1-2        | Aerodramus Bird      |
| 3-4        | Barn Swallow         |
| 5-6        | Cave Swallow         |
| 7-8        | Cave Swiftlet        |
| 9-10       | Edible-nest Swiftlet |
| 11-12      | Fly Swarm            |
| 13-14      | Mosquito Swarm       |
| 15-16      | Oilbird              |
| 17-18      | Screech Owl          |
| 19-20      | Vulture              |

**Table IX: Small** 

| <b>D20</b> | Small                |
|------------|----------------------|
| 1-2        | Bee                  |
| 3-4        | Camel Cricket        |
| 5-6        | Cave Mold Beetle     |
| 7-8        | Centipede            |
| 9-10       | Gnat Swarm           |
| 11-12      | Herald Moth          |
| 13-14      | Pillbug              |
| 15-16      | Scaffold Web Spider  |
| 17-18      | Spirobolid Millipede |
| 19-20      | Wasp                 |

**Table X:Fanticy Animals** 

| i didicio i ili dilidio y i timinano |                        |  |
|--------------------------------------|------------------------|--|
| <b>D20</b>                           | <b>Fantasy Animals</b> |  |
| 1-2                                  | Zombie/Skeleton        |  |
| 3-4                                  | Giant Bear             |  |
| 5-6                                  | Slime/Pudding/Jelly    |  |
| 7-8                                  | Giant Carnivorous Worm |  |
| 9-10                                 | Dragon                 |  |
| 11-12                                | Giant Snake            |  |
| 13-14                                | Basilisk               |  |
| 15-16                                | Wyvern                 |  |
| 17-18                                | Giant Spider           |  |
| 19-20                                | Giant Rat              |  |
|                                      |                        |  |

**Table XI: Cave Dwellers** 

| <b>D20</b> | Creature            | <b>D20</b> | Creature     |
|------------|---------------------|------------|--------------|
| 1          | Primitive Man       | 11         | Shaman       |
| 2          | Barbarian Tribe     | 12         | Sprite       |
| 3          | Spirit Animal (Loa) | 13         | Orc tribe    |
| 4          | Gnome               | 14         | Bandits      |
| 5          | Dark Elf            | 15         | Ogre         |
| 6          | Witch/Crone         | 16         | Trolls       |
| 7          | Ghost               | 17         | Dwarf        |
| 8          | Sentient Fungus     | 18         | Goblin       |
| 9          | Hermit              | 19         | Druid        |
| 10         | Monk                | 20         | Prophet/Seer |

**Table XII: Insects/Spiders** 

| <b>D20</b> | Insect/Spider     | <b>D20</b> | Insect/Spider                 |
|------------|-------------------|------------|-------------------------------|
| 1          | Blind Cricket     | 11         | Cellar Spider                 |
| 2          | Blind Wolf Spider | 12         | Conotylid Cave Millipede      |
| 3          | Camel Cricket     | 13         | Daddy longlegs                |
| 4          | Carrion Beetles   | 14         | Fishing Spider                |
| 5          | Cave Centipede    | 15         | Nelson cave spider            |
| 6          | Cave Flea Swarm   | 16         | Silverfish Swarm              |
| 7          | Cave Mite Swarm   | 17         | Springtails (Jumping Insects) |
| 8          | Cave Mold Beetle  | 18         | The Giant Weta                |
| 9          | Cave Scorpion     | 19         | Trap Door Spider              |
| 10         | Cave WebWorm      | 20         | White cave velvet worm        |